JOURNAL OF BIOMEDICAL MATERIALS RESEARCH

Volume 39 Contents 1998

January 1998
Volume 39
Issue No. 1

1 Osteoblast Reaction at the Interface Between Surface-Active Materials and Bone *In Vivo:* A Study Using *In Situ* Hybridization
M. Neo, C. F. Voigt, H. Herbst, and U. M. Gross

9 A Novel Fiber-Optic pH Sensor Incorporating Carboxy SNAFL-2 and Fluorescent Wavelength–Ratiometric Detection
Z. Xu, A. Rollins, R. Alcala, and R. E. Marchant

16 Influence of Sterilization by Gamma Irradiation and of Thermal Annealing on Creep of Hydroxyapatite-Reinforced Polyethylene Composites
J. Suwanprateeb, K. E. Tanner, S. Turner, and W. Bonfield

23 Microstructural Changes in the Bone of HA-Coated Implants
M. Ogiso, Y. Yamashita, and T. Matsumoto

32 Coating PTFE Vascular Protheses with a Fibroblastic Matrix Improves Cell Retention when Subjected to Blood Flow
J. Buján, N. García-Honduvilla, L. Contreras, M. José Gimeno, C. Escudero, J. M. Bellón, and J. San-Román

40 Macrophage Phagocytosis of Polyethylene Particulate *In Vitro*
I. Voronov, J. P. Santerre, A. Hinek, J. W. Callahan, J. Sandhu, and E. L. Boynton

52 New Capsule with Tailored Properties for the Encapsulation of Living Cells
I. Lacík, M. Briššová, A. V. Anilkumar, A. C. Powers, and T. Wang

61 Control and Measurement of Permeability for Design of Microcapsule Cell Delivery System
M. Briššová, I. Lacík, A. C. Powers, A. V. Anilkumar, and T. Wang

71 Temporal and Spatial Patterns of Osteoblast Activation Following Implantation of β-TCP Particles into Bone
M. Neo, H. Herbst, C. F. Voigt, and U. M. Gross

77 Titanium Surface Roughness Alters Responsiveness of MG63 Osteoblast-like Cells to $1\alpha,25\text{-}(OH)_2D_3$
B. D. Boyan, R. Batzer, K. Kieswetter, Y. Liu, D. L. Cochran, S. Szmuckler-Moncler, D. D. Dean, and Z. Schwartz

86 Preparation and Characterization of Heparin-Containing SBS-g-DMAEMA Copolymer Membrane
J.-M. Yang, Y.-J. Jong, K.-Y. Hsu, and C. H. Chang

92 Composite Hip Prosthesis Design. I. Analysis
H. Yildiz, S.-K. Ha, and F.-K. Chang

102 Composite Hip Prosthesis Design. II. Simulation
H. Yildiz, F.-K. Chang, and S. Goodman

120 Dimensional Characteristics of Uncomplicated Autopsy-Retrieved Acetabular Polyethylene Liners by Ultrasound
A. Berzins, D. R. Sumner, and J. O. Galante

130 Blood and Tissue Compatibility of Modified Polyester: Thrombosis, Inflammation, and Healing
J. A. Chinn, J. A. Sauter, R. E. Phillips, Jr., W. J. Kao, J. M. Anderson, S. R. Hanson, and T. R. Ashton

141 Resorption of Hydroxyapatite and Fluorapatite Ceramic Coatings on Weight-Bearing Implants: A Quantitative and Morphological Study in Dogs
S. Overgaard, M. Lind, K. Josephsen, A. B. Maunsbach, C. Bünger, and K. Søballe

153 Polyethylene Failure in New Jersey Low-Contact Stress Total Knee Arthroplasty
C.-H. Huang, T.-H. Young, Y.-T. Lee, J.-S. Jan, and C.-K. Cheng

161 Bioactive Glass Fiber/Polymeric Composites Bond to Bone Tissue
M. Marcolongo, P. Ducheyne, J. Garino, and E. Schepers

February 1998
Volume 39
Issue No. 2

171 Initial Stability of Femoral Neck Osteosynthesis with Absorbable Self-Reinforced Poly-L-Lactide (SR-PLLA) and Metallic Screws: A Comparative Study on 21 Cadavers
J. Vasenius, T. Pohjonen, P. Törmälä, A. Penttilä, and P. Rokkanen

176 Osteoblast Precursor Cell Activity on HA Surfaces of Different Treatments
J. L. Ong, C. A. Hoppe, H. L. Cardenas, R. Cavin, D. L. Carnes, A. Sogal, and G. N. Raikar

184 Identification and Quantification of the Crystalline Structures of Poly(vinylidene Fluoride) Sutures by Wide-Angle X-Ray Scattering and Differential Scanning Calorimetry
G. Laroche, C.-P. Lafrance, R. E. Prud'homme, and R. Guidoin

190 BMP-Induced Osteogenesis on the Surface of Hydroxyapaptite with Geometrically Feasible and Nonfeasible Structures: Topology of Osteogenesis
Y. Kuboki, H. Takita, D. Kobayashi, E. Tsuruga, M. Inoue, M. Murata, N. Nagai, Y. Dohi, and H. Ohgushi

200 Evaluation of the Biocompatibility of Titanium-Tantalum Alloy Versus Titanium
H. Prigent, P. Pellen-Mussi, G. Cathelineau, and M. Bonnaure-Mallet

207 Optimal Bovine Pericardial Tissue Selection Sites. I. Fiber Architecture and Tissue Thickness Measurements
E. D. Hiester and M. S. Sacks

215 Optimal Bovine Pericardial Tissue Selection Sites. II. Cartographic Analysis
E. D. Hiester and M. S. Sacks

222 Intramedullary Fixation of Distal Femoral Diaphyseal Osteotomies with Absorbable Self-Reinforced Poly-L-Lactide and Metallic Intramedullary Rods Assessed by Plain Radiographs, Quantitative Computed Tomography, and Magnetic Resonance Imaging: An Experimental Study in Rabbits
J. Viljanen, J. Kinnunen, S. Bondestam, and P. Rokkanen

229 The Fallacy of Evaluating Biomaterial Wear-Rates with Water as Lubricant: A Hip Simulator Study of Alumina-PTFE and CoCr-PTFE Combinations
W. P. Phipatanakul, S. A. Johnson, V. Good, and I. C. Clarke

234 Effect of Serum Proteins and Osteoblasts on the Surface Transformation of a Calcium Phosphate Coating: A Physicochemical and Ultrastructural Study
S. Radin, P. Ducheyne, P. Berthold, and S. Decker

244 Glass-Reinforced Hydroxyapatite: A Comprehensive Study of the Effect of Glass Composition on the Crystallography of the Composite
M. A. Lopes, J. D. Santos, F. J. Monteiro, and J. C. Knowles

252 Cytotoxicity of Urethane Dimethacrylate Composites Before and After Aging and Leaching
N. M. Mohsen, R. G. Craig, and C. T. Hanks

261 Compressive Creep Characteristics of Extruded Ultrahigh-Molecular-Weight Polyethylene
K.-Y. Lee and D. Pienkowski

266 Incorporation of Adhesion Peptides into Nonadhesive Hydrogels Useful for Tissue Resurfacing
D. L. Hern and J. A. Hubbell

277 Subconjunctival Biocompatibility of a Viscous Bioerodable Poly(ortho ester)
M. Zignani, S. F. Bernatchez, T. Le Minh, C. Tabatabay, J. M. Anderson, and R. Gurny

286 False Postive Results in Cytotoxicity Testing Due to Unexpectedly Volatile Compounds
G. Ciapetti, D. Granchi, E. Verri, L. Savarino, S. Stea, F. Savioli, A. Gori, and A. Pizzoferrato

292 Effects of Microstructure on the Corrosion Behavior of CoCr Porous Coatings on Orthopedic Implants
H. E. Placko, S. A. Brown, and J. H. Payer

300 Biocompatibility of Potential Wound Management Products: Hydrogen Peroxide Generation by Fungal Chitin/Chitosans and Their Effects on the Proliferation of Murine L929 Fibroblasts in Culture
L. Y. Chung, R. J. Schmidt, P. F. Hamlyn, B. F. Sagar, A. M. Andrews, and T. D. Turner

308 Effects of Added Antibiotics on the Basic Properties of Anti-Washout-Type Fast-Setting Calcium Phosphate Cement
M. Takechi, Y. Miyamoto, K. Ishikawa, M. Nagayama, M. Kon, K. Asaoka, and K. Suzuki

317 Evaluation of a Novel Alginate Gel Dressing: Cytotoxicity to Fibroblasts *In Vitro* and Foreign-Body Reaction in Pig Skin *In Vivo*
Y. Suzuki, Y. Nishimura, M. Tanihara, K. Suzuki, T. Nakamura, Y. Shimizu, Y. Yamawaki, and Y. Kakimaru

323 Why Do Phospholipid Polymers Reduce Protein Adsorption?
K. Ishihara, H. Nomura, T. Mihara, K. Kurita, Y. Iwasaki, and N. Nakabayashi

331 Cytotoxicity Evaluation of 43 Metal Salts Using Murine Fibroblasts and Osteoblastic Cells
A. Yamamoto, R. Honma, and M. Sumita

March 5, 1998
Volume 39
Issue No. 3

341 Adhesion of *Staphylococcus epidermidis* and Transposon Mutant Strains to Hydrophobic Polyethylene
J. M. Higashi, I-w. Wang, D. M. Shlaes, J. M. Anderson, and R. E. Marchant

351 Effect of the Chemical Modification of the Arginyl Residue in *Bombyx mori* Silk Fibroin on the Attachment and Growth of Fibroblast Cells
Y. Gotoh, M. Tsukada, and N. Minoura

358 Polyethylene Glycol/Microfibrillar Collagen Composite as a New Resorbable Hemostatic Bone Wax
D. P. Orgill, F. W. Ehret, J. F. Regan, J. Glowacki, and J. B. Mulliken

364 Comparative Push-Out Test of Dense HA Implants and HA-Coated Implants: Findings in a Canine Study
M. Ogiso, M. Yamamura, P. T. Kuo, D. Borgese, and T. Matsumoto

373 Micromechanical Behavior of Cortical Bone as Inferred from Laser Speckle Data
S. J. Kirkpatrick and B. W. Brooks

380 Heterobifunctional Membranes by Plasma Induced Graft Polymerization as an Artificial Organ for Penetration Keratoprosthesis
P. C.-T. Chang, S.-D. Lee, and G.-H. Hsiue

390 Influence of Hydroxyapatite Particle Size on Bone Cell Activities: An *In Vitro* Study
J.-S. Sun, H.-C. Liu, W. H.-S. Chang, J. Li, F.-H. Lin, and H.-C. Tai

398 Modulation of the Tissue Reaction to Biomaterials. II. The Function of T Cells in the Inflammatory Reaction to Crosslinked Collagen Implanted in T-Cell–Deficient Rats
M. J. A. van Luyn, I. M. S. L. Khouw, P. B. van Wachem, E. H. Blaauw, and J. A. Werkmeister

407 Amorphous Phase Formation in Plasma-Sprayed Hydroxyapatite Coatings
K. A. Gross, C. C. Berndt, and H. Herman

415 Detection of Bacterial Adherence on Biomedical Polymers
K. Merritt, A. Gaind, and J. M. Anderson

423 Preparation, Characterization, and *In Vitro* Release of Ibuprofen from Al_2O_3/PLA/PMMA Composites
M. Vallet-Regí, S. Granado, D. Arcos, M. Gordo, M. V. Cabañas, C. V. Ragel, A. J. Salinas, A. L. Doadrio, and J. San Román

429 Evaluation of a Collagen-Based Biosynthetic Material for the Repair of Abdominal Wall Defects
J. A. Werkmeister, G. A. Edwards, F. Casagranda, J. F. White, and J. A. M. Ramshaw

437 Effects of Titanium Substratum and Grooved Surface Topography on Metalloproteinase-2 Expression in Human Fibroblasts
L. Chou, J. D. Firth, V.-J. Uitto, and D. M. Brunette

446 Heparin Immobilized on Proteins Usable for Arterial Prosthesis Coating: Growth Inhibition of Smooth-Muscle Cells
E. Laemmel, J. Penhoat, R. Warocquier-Clérout, and M.-F. Sigot-Luizard

453 Piezoelectric Response of Scleral Collagen
S. Ghosh, B. Z. Mei, V. Lubkin, J. I. Scheinbeim, B. A. Newman, P. Kramer, G. Bennett, and N. Feit

458 Positively Charged Dextran Resin Inhibits Trabecular Bone Repair in the Rabbit Tibial Physis
J. A. Cobos, J. Yang, R. Zhang, M. Krukowski, and D. J. Simmons

462 Effect of Tissucol® on Connective Tissue Matrix During Wound Healing: An Immunohistochemical Study in Rat Skin
G. E. Romanos and J. R. Strub

469 Differential Synthesis of Cholesterol Esterase by Monocyte-Derived Macrophages Cultured on Poly(ether or ester)-Based Poly(urethane)s
R. S. Labow, E. Meek, and J. P. Santerre

478 Analysis of Plasma Protein Adsorption on Polymeric Nanoparticles with Different Surface Characteristics
M. Lück, B.-R. Paulke, W. Schröder, T. Blunk, and R. H. Müller

486 Attachment and Growth of Cultured Fibroblast Cells on PVA/Chitosan-Blended Hydrogels
T. Koyano, N. Minoura, M. Nagura, and K.-i. Kobayashi

491 The Role of Proteins in the Nucleation and Formation of Calcium-Containing Deposits on Biomaterial Surfaces
S. L. Vasin, I. B. Rosanova, and V. I. Sevastianov

498 Unusual Properties of Thermally Sensitive Oligomer–Enzyme Conjugates of Poly(*N*-isopropylacrylamide)–Trypsin
Z. Ding, G. Chen, and A. S. Hoffman

506 Cyclic AMP in Cells Adhering to Bioincompatible (Cuprophan) and Biocompatible (AN69) Substrates
N. Faucheux, R. Warocquier-Clérout, B. Haye, and M. D. Nagel

March 15, 1998
Volume 39
Issue No. 4

511 Antibacterial Activity of Cured Dental Resin Incorporating the Antibacterial Monomer MDPB and an Adhesion-Promoting Monomer
S. Imazato, T. Imai, R. R. B. Russell, M. Torii, and S. Ebisu

516 Structural Integrity of Implanted WMT Infinity Hip and Osteonics Omnifit Hip in Fresh Cadaveric Femurs
T. Q. Lee, D. A. Lewis, S. L. Barnett, W. C. Kim, and S. H. Anzel

524 *In Vivo* Dissolution Behavior of Various RF Magnetron Sputtered Ca-P Coatings
J. G. C. Wolke, K. de Groot, and J. A. Jansen

531 Design of an Artificial Skin. IV. Use of Island Graft to Isolate Organ Regeneration from Scar Synthesis and Other Processes Leading to Skin Wound Closure
D. P. Orgill and I. V. Yannas

536 Development of Porous Apatite Ceramic for Local Delivery of Chemotherapeutic Agents
M. Itokazu, T. Sugiyama, T. Ohno, E. Wada, and Y. Katagiri

539 Improved Local Delivery of TGF-β2 by Binding to Injectable Fibrillar Collagen via Difunctional Polyethylene Glycol
H. Bentz, J. A. Schroeder, and T. D. Estridge

549 FLow-Cytometric Analysis of Leukocyte Activation Induced by Polyethylene-Terephthalate With and Without Pyrolytic Carbon Coating
D. Granchi, E. Cenni, E. Verri, G. Ciapetti, S. Gamberini, A. Gori, and A. Pizzoferrato

554 Occlusive Effects of Lactiv Acid–Glycolic Acid Copolmer Membrane on Gingival Fibroblasts *In Vitro*
K. Kubo, N. Tsukasa, K. Iki, M. Uehara, A. Shimotsu, Y. Seto, S.-H. Hyon, Y. Ikada, T. Kubota, and T. Sueda

560 Metal Ion-Induced Toxic Histamine Release from Human Basophils and Mast Cells
A. Schedle, P. Samorapoompichit, W. Füreder, X. H. Rausch-Fan, A. Franz, W. R. Sperr, W. Sperr, R. Slavicek, S. Simak, W. Klepetko, A. Ellinger, M. Ghannadan, M. Baghestanian, and P. Valent

568 Selection and Interaction of Biomaterials Used in the Construction of Cardiac Bioprostheses
A. Carrera San Martin, J. M. García-Paez, J. V. García Sestafe, E. Jorge Herrero, J. Salvador, A. Cordón, and J. L. Castillo-Olivares

575 *In Vitro* Adsorption and Activity of Enzymes on Reaction Layers of Bioactive Glass Substrates
K. D. Lobel and L. L. Hench

580 Thermal Processing of Hydroxyapatite for Coating Production
K. A. Gross and C. C. Berndt

588 Influence of Different Physicochemical Conditions on the Release of Indium Oxine from Nanocapsules
F. Kedzierewicz, P. Thouvenot, I. Monot, M. Hoffman, and P. Maincent

594 Degradable and Highly Porous Polyesterurethane Foam as Biomaterial: Effects and Phagocytosis of Degradation Products in Osteoblasts
B. Saad, G. Ciardelli, S. Matter, M. Welti, G. K. Uhlschmid, P. Neuenschwander, and U. W. Suter

603 Sintered Carbonate Apatites as Bioresorbable Bone Substitutes
Y. Doi, T. Shibutani, Y. Moriwaki, T. Kajimoto, and Y. Iwayama

611 Ultrastructural Analyses of the Attachment (Bonding) Zone Between Bone and Implanted Biomaterials
D. E. Steflik, R. S. Corpe, F. T. Lake, T. R. Young, A. L. Sisk, G. R. Parr, P. J. Hanes, and D. J. Berkery

621 Synthesis of Monomeric and Polymeric Conjugates Carrying a Thrombin Inhibitor Through an Ester Bond
H. Noguchi, H. Iwata, and Y. Ikada

630 Comparison of Epoxides on Grafting Collagen to Polyurethane and Their Effects on Cellular Growth
L. L. H. Huang, P. C. Lee, L. W. Chen, and K. H. Hsieh

637 Quantification of the Inflammatory Response in Exudates to Three Polymers Implanted *In Vivo*
T. Fabre, J. Bertrand-Barat, G. Freyburger, J. Rivel, B. Dupuy, A. Durandeau, and C. Baquey

642 Characterization and Assessment of a Novel Poly(ethylene oxide)/Polyurethane Composite Hydrogel (Aquavene®) as a Ureteral Stent Biomaterial
S. P. Gorman, M. M. Tunney, P. F. Keane, K. Van Bladel, and B. Bley

650 Biodegradation *In Vitro* and Retention in the Rabbit Eye of Crosslinked Poly(1-vinyl-2-pyrrolidinone) Hydrogel as a Vitreous Substitute
Y. Hong, T. V. Chirila, S. Vijayasekaran, W. Shen, X. Lou, and P. D. Dalton

660 *In Vitro* Evaluation of a New Injectable Calcium Phosphate Material
G. Grimandi, P. Weiss, F. Millot, and G. Daculsi

667 Influence of Potassium Flouride on the Syntheses Methylpiperazine-Modified Poly(vinyl chloride)s for use as Fixed-Site Proton Carrier Membranes
A. R. Roudman and R. P. Kusy

674 Author Index to Volume 39

680 Subject Index to Volume 39

I Volume Contents